

Application No. 10/055,344

AMENDMENTS TO THE SPECIFICATIONIn the Specification:

Please replace the paragraph that starts at page 6, line 5 with the following amended paragraph.

C The present composition can be formulated into conventional dosage forms in food engineering or pharmaceutical field, such as powder, granules, tablets, capsules, solution, suspension, solution for injection, jam, syrup, essence, or concentrated solution, by additionally including one or more engineered foods ~~engineeringly~~ or pharmaceutically acceptable carriers. The formulations can be administered via conventional routes in pharmaceutical field, such as orally or parenterally, for example, by injection or transdermal absorption. Wild ginseng powder or water extract thereof may be administered within a range of conventional dosage of ginseng.

Please replace the example that starts at page 8, line 5 with the following amended example.

Example 5:

C2

Wild ginseng powder	200 mg
Lycii Fructus powder	66.6 mg
Cnidii Rhizoma powder	66.7 mg
Angelicae gigantis Radix powder	66.7 mg
Cultivated ginseng powder	2 g

Application No. 10/055,344

504
C02

Glutinous rice powder	50 mg
Unpolished rice powder	50 mg
Job's-tear powder	50 mg
Barley powder	50 mg
Soy bean powder	50 mg
Mature pumpkin powder	400 mg
Vitamin B ₁ nitrate	1.3 mg
Vitamin B ₂	1.5 mg
Vitamin C	55 mg
Vitamin B ₆ chloride	1.3 mg
Vitamin B ₁₂	0.001 mg
Nicotinic amide	17 mg
Calcium pantothenate	3 mg
Folic acid	0.25 mg
Vitamin D ₃	3 mg
Taurine	10 mg
Inositol	20 mg
L-arginine	50 mg
Biotin	0.015 mg
Recithin <u>Lecithin</u>	20 mg
DHA powder	50 mg
Fructo-oligosaccharide	30 mg
Casein phosphopeptide	40 mg
Diet fiber	50 mg

Application No. 10/055,344

C2

Pectin	5 mg
Magnesium hydroxide	40 mg
Ionic calcium	20 mg
Galacto-oligosaccharide	50 mg
Glucosamine	5 mg
Foremilk protein powder	10 mg
Skim milk	13.4277 g
Aspartame	30 mg
Micronized saccharide	3 g

Please replace the example that starts at page 11, line 17
with the following amended example.

Example 9:

(3) Per 400 mg

Wild ginseng herb extract powder	10.0%
(Wild ginseng 50%, Lycii Fructus 16.66%, Angelicae gigantis Radix 16.67% and Cnidii Rhizoma 16.67%)	
Cervi Parvum Cornu extract	2.5%
Ginseng extract	10.0%
Recithin <u>Lecithin</u>	2.0%
Palm oil	15.0%
Beeswax	5.0%
Bean oil	55.5%

Application No. 10/055,344

Cont.
C3

Base for Soft capsule: Gelatin 68.4%, glycerin 30.55%, ethyl vanillin 0.23%, titanium dioxide 0.34%, food coloring red No. 40 0.3%, food coloring blue No. 1 0.03%, food coloring yellow No. 4 0.15%

Please replace the example that starts at page 15, line 22 with the following amended example.

Example 20:

C4

Composition of Example 14	22.5%
Recithin <u>Lecithin</u>	2.0%
Palm oil	15.0%
Beeswax	5.0%
Bean oil	55.5%

Base for soft capsule: Gelatin 68.4%, glycerin 30.55%, ethyl vanillin 0.23%, titanium dioxide 0.34%, food coloring red No. 40 0.3%, food coloring blue No. 1 0.03%, food coloring yellow No. 4 0.15%
